FACTS ABOUT FALLS QUIZ

Question 1- Multiple Choice

What is the prevalence of falls in adults 65+ per year?

- A.) 1 in 2 adults 65+ will fall every year.
- B.) 1 in 4 adults 65+ will fall every year.
- C.) 1 in 6 adults 65+ will fall every year.
- **D.)** 1 in 8 adults 65+ will fall every year.

- B.) 1 in 4 adults 65+ will fall every year.

- This leads to about 1 million fall-related hospitalizations within this population!

Question 2

TRUE OR FALSE

-Falls are the 2nd leading cause of unintentional injury deaths worldwide.

- TRUE

- Falls are the 2nd leading cause of unintentional injury deaths following motor vehicle accidents and proceeded by poisoning.

Question 3 Which of the following is a risk factor that increases the likelihood of falling?

- A.) Vision problems
- **B.)** Hearing problems
- C.) Use of several medications
- **D.)** Lower body weakness
- **E.)** All of the above

- E.) All of the above

- Your likelihood of falling increases with vision and hearing deficits, medication use, and lower body weakness, along with other factors such as vitamin D deficiency, poor footwear, and home hazards.

Question 4 What is the average estimated cost of a hospital visit due to a fall-related injury?

- **A.)** ~ \$19,000 for inpatient stay & ~ \$1,200 for ER
- **B.)** ~ \$19,000 for inpatient stay & ~ \$3,000 for ER
- C.) ~ \$9,000 for inpatient stay & ~ \$1,200 for ER
- **D.)** ~ \$9,000 for inpatient stay & ~ \$3,000 for ER

- A.) ~ \$19,000 for inpatient stay & ~ \$1,200 for ER

- The cost of treating injuries caused by falls among older adults is projected to increase to over \$101 billion by 2030.

Question 5

TRUE OR FALSE?

-Men suffer from more fatal falls than women.

- TRUE

- Women suffer from more non-fatal falls than men. This is due to the prevalence of men displaying more risk-taking behavior than women.

Question 6 TRUE OR FALSE?

-Less than half of falls happen at home.

- FALSE

- More than half of falls happen in the home.

Question 7 TRUE OR FALSE?

-1/3 of falls happen because of environmental hazards.

- TRUE

- Environmental hazards can be removed to prevent falls.